

ANTIMICROBIAL SUSCEPTIBILITY PROFILES OF SELECTED AEROBIC ISOLATES
 UNIVERSITY OF VIRGINIA HEALTH SYSTEM ALL SOURCES
 Transitional Care Hospital
 2016

PERCENT OF STRAINS SUSCEPTIBLE

| ORGANISM | Total Isolates | Penicillins | | | | | Cephalosporins | | | Aminoglycosides | | | Carbapenems | | Miscellaneous | | | | | | | | |
|-------------------------------|----------------|-------------|----------------------|-----------|------------|-------------------------|----------------|-------------|----------|-----------------|------------|------------|-------------|-----------|---------------|--------------|---------------|--------------|-----------|-------------------------------|------------|--------------|-----------------------------|
| | | Ampicillin | Ampicillin Sulbactam | Oxacillin | Penicillin | Piperacillin Tazobactam | Cefazolin | Ceftriaxone | Cefepime | Amikacin | Gentamicin | Tobramycin | Meropenem | Ertapenem | Clindamycin | Erythromycin | Ciprofloxacin | Moxifloxacin | Linezolid | Trimethoprim sulfamethoxazole | Vancomycin | Tetracycline | Nitrofurantoin (urine only) |
| <i>Escherichia coli</i> | 18 | 39 | 56 | | | 83 | 78 | 83 | 83 | 100 | 67 | 72 | 94 | 94 | | | 61 | | | 72 | | | 93 |
| <i>Klebsiella pneumoniae</i> | 21 | | 67 | | | 81 | 81 | 81 | 81 | 95 | 95 | 90 | 90 | 96 | | | 90 | | | 86 | | | |
| <i>Pseudomonas aeruginosa</i> | 25 | | | | | 56 | | | 68 | 96 | 88 | 88 | 64 | | | | 76 | | | | | | |
| <i>Enterococcus faecium</i> | 13 | 15 | | | | | | | | | | | | | | | | 100 | | 23 | | | |
| <i>Staphylococcus aureus</i> | 18 | | | 50 | | | | | | | | | | | 44 | 22 | | | | 94 | 100 | | |